

Washington State HIV/AIDS Surveillance Report - 01/31/2007
Washington State Department of Health

Table 1. HIV¹ and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

Year ⁵	TOTAL CASES (& CASE FATALITY RATE ²) DIAGNOSED DURING INTERVAL ³					DEATHS OCCURRING DURING INTERVAL ⁴		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL ³		
	HIV ¹		AIDS		HIV/AIDS Total	HIV ¹		HIV ¹		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	No.	No.	No.	
1982	2	0%	1	(100%)	3	0	0	2	0	2
1983	4	(25%)	22	(100%)	26	0	7	3	0	3
1984	8	0%	77	(97%)	85	0	31	8	2	10
1985	62	(11%)	132	(98%)	194	0	81	55	3	58
1986	56	(14%)	247	(98%)	303	0	126	48	5	53
1987	61	(16%)	368	(96%)	429	2	188	51	15	66
1988	77	(16%)	493	(94%)	570	5	236	65	28	93
1989	97	(16%)	611	(92%)	708	7	309	81	49	130
1990	118	(15%)	733	(91%)	851	6	371	100	63	163
1991	131	(13%)	835	(88%)	966	4	461	114	98	212
1992	119	(12%)	897	(79%)	1,016	6	515	105	184	289
1993	97	(9%)	943	(72%)	1,040	12	617	88	265	353
1994	157	(7%)	853	(60%)	1,010	7	676	146	342	488
1995	171	(5%)	754	(44%)	925	5	665	162	426	588
1996	203	(6%)	661	(30%)	864	3	495	191	461	652
1997	218	(5%)	511	(23%)	729	10	226	207	392	599
1998	211	(2%)	385	(26%)	596	5	167	206	286	492
1999	260	(3%)	353	(25%)	613	6	137	252	266	518
2000	317	(4%)	448	(20%)	765	29	165	305	359	664
2001	282	(1%)	390	(17%)	672	20	153	278	323	601
2002	293	(3%)	411	(13%)	704	17	157	285	358	643
2003	309	(1%)	422	(11%)	731	28	184	307	374	681
2004	317	0%	404	(9%)	721	7	154	317	368	685
2005	374	(1%)	411	(7%)	785	13	133	370	382	752
2006	354	0%	334	(4%)	688	7	70	353	322	675
2007	7	0%	4	0%	11	0	1	7	4	11
TOTAL	4,305	(5%)	11,700	(54%)	16,005	199	6,325	4,106	5,375	9,481

Table 2. HIV¹ and AIDS CASES, GENDER BY AGE AT DIAGNOSIS

	HIV ¹						AIDS					
	Male		Female		Total		Male		Female		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
0-12	19	0%	21	0%	40	(1%)	15	0%	17	0%	32	0%
13-19	62	(1%)	35	(1%)	97	(2%)	35	0%	15	0%	50	0%
20-29	1,155	(27%)	232	(5%)	1,387	(32%)	1,696	(14%)	241	(2%)	1,937	(17%)
30-39	1,477	(34%)	189	(4%)	1,666	(39%)	4,876	(42%)	403	(3%)	5,279	(45%)
40-49	753	(17%)	106	(2%)	859	(20%)	2,882	(25%)	248	(2%)	3,130	(27%)
50-59	182	(4%)	36	(1%)	218	(5%)	873	(7%)	101	(1%)	974	(8%)
60+	35	(1%)	3	0%	38	(1%)	259	(2%)	39	0%	298	(3%)
TOTAL	3,683	(86%)	622	(14%)	4,305	(100%)	10,636	(91%)	1,064	(9%)	11,700	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

2 Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

3 Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

4 Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

Washington State HIV/AIDS Surveillance Report - 01/31/2007
Washington State Department of Health

Tables 3. HIV¹ CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	2,753	(75%)	306	(51%)	11	(27%)	3,070	(71%)
Black, not Hispanic	427	(12%)	196	(33%)	20	(49%)	643	(15%)
Hispanic (All Races)	304	(8%)	53	(9%)	6	(15%)	363	(8%)
Asian/Pacific Islander	2	0%	3	0%	0	0%	5	0%
Asian	82	(2%)	11	(2%)	4	(10%)	97	(2%)
Hawaiian/Pacific Islander	7	0%	2	0%	0	0%	9	0%
Native American/Alaskan	33	(1%)	25	(4%)	0	0%	58	(1%)
Multi-race	21	(1%)	2	0%	0	0%	23	(1%)
Unknown	34	(1%)	3	0%	0	0%	37	(1%)
Total	3,663	(100%)	601	(100%)	41	(100%)	4,305	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	2,721	(74%)	0	0%	0	0%	2,721	(63%)
Injecting Drug Use (IDU)	226	(6%)	142	(24%)	0	0%	368	(9%)
MSM and IDU	348	(10%)	0	0%	0	0%	348	(8%)
Transfusion/Transplant	8	0%	10	(2%)	0	0%	18	0%
Hemophilia	8	0%	1	0%	1	(2%)	10	0%
Heterosexual Contact	125	(3%)	304	(51%)	0	0%	429	(10%)
Mother at Risk for HIV	0	0%	0	0%	34	(83%)	34	(1%)
No Identified Risk/Other	227	(6%)	144	(24%)	6	(15%)	377	(9%)
Total	3,663	(100%)	601	(100%)	41	(100%)	4,305	(100%)

Tables 4. AIDS CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	8,395	(79%)	559	(53%)	15	(47%)	8,969	(77%)
Black, not Hispanic	1,037	(10%)	294	(28%)	10	(31%)	1,341	(11%)
Hispanic (All Races)	779	(7%)	94	(9%)	4	(13%)	877	(7%)
Asian/Pacific Islander	31	0%	13	(1%)	1	(3%)	45	0%
Asian	143	(1%)	20	(2%)	0	0%	163	(1%)
Hawaiian/Pacific Islander	22	0%	8	(1%)	0	0%	30	0%
Native American/Alaskan	162	(2%)	53	(5%)	1	(3%)	216	(2%)
Multi-race	42	0%	5	0%	1	(3%)	48	0%
Unknown	10	0%	1	0%	0	0%	11	0%
Total	10,621	(100%)	1,047	(100%)	32	(100%)	11,700	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	7,679	(72%)	0	0%	0	0%	7,679	(66%)
Injecting Drug Use (IDU)	766	(7%)	301	(29%)	0	0%	1,067	(9%)
MSM and IDU	1,169	(11%)	0	0%	0	0%	1,169	(10%)
Transfusion/Transplant	73	(1%)	53	(5%)	0	0%	126	(1%)
Hemophilia	84	(1%)	4	0%	4	(13%)	92	(1%)
Heterosexual Contact	315	(3%)	519	(50%)	0	0%	834	(7%)
Mother at Risk for HIV	1	0%	0	0%	28	(88%)	29	0%
No Identified Risk/Other	534	(5%)	170	(16%)	0	0%	704	(6%)
Total	10,621	(100%)	1,047	(100%)	32	(100%)	11,700	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

6 Heterosexual Contact refers to contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 01/31/2007

Washington State Department of Health

Table 5. HIV¹ AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE ⁸ AT DIAGNOSIS

	CASES DIAGNOSED					DEATHS				PRESUMED LIVING				
	HIV ¹		AIDS		HIV/AIDS Total	HIV ¹		AIDS		HIV ¹		AIDS		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	(%)	No.	(%)	No.	(%)	No.	(%)	
Region 1	178	(4.1%)	656	(5.6%)	834	13	(6.5%)	354	(5.6%)	165	(4.0%)	302	(5.6%)	467
ADAMS CO.	1	0.0%	5	0.0%	6	0	0.0%	1	0.0%	1	0.0%	4	(0.1%)	5
ASOTIN CO.	4	(0.1%)	17	(0.1%)	21	1	(0.5%)	6	(0.1%)	3	(0.1%)	11	(0.2%)	14
COLUMBIA CO.	1	0.0%	4	0.0%	5	1	(0.5%)	3	0.0%	0	0.0%	1	0.0%	1
FERRY CO.	0	0.0%	7	(0.1%)	7	0	0.0%	6	(0.1%)	0	0.0%	1	0.0%	1
GARFIELD CO.	1	0.0%	0	0.0%	1	0	0.0%	0	0.0%	1	0.0%	0	0.0%	1
LINCOLN CO.	0	0.0%	4	0.0%	4	0	0.0%	2	0.0%	0	0.0%	2	0.0%	2
OKANOGAN CO.	7	(0.2%)	26	(0.2%)	33	0	0.0%	9	(0.1%)	7	(0.2%)	17	(0.3%)	24
PEND OREILLE CO.	0	0.0%	9	(0.1%)	9	0	0.0%	5	(0.1%)	0	0.0%	4	(0.1%)	4
SPOKANE CO.	149	(3.5%)	497	(4.2%)	646	10	(5.0%)	280	(4.4%)	139	(3.4%)	217	(4.0%)	356
STEVENS CO.	7	(0.2%)	19	(0.2%)	26	0	0.0%	10	(0.2%)	7	(0.2%)	9	(0.2%)	16
WALLA WALLA CO.	7	(0.2%)	53	(0.5%)	60	1	(0.5%)	28	(0.4%)	6	(0.1%)	25	(0.5%)	31
WHITMAN CO.	1	0.0%	15	(0.1%)	16	0	0.0%	4	(0.1%)	1	0.0%	11	(0.2%)	12
Region 2	138	(3.2%)	405	(3.5%)	543	9	(4.5%)	191	(3.0%)	129	(3.1%)	214	(4.0%)	343
BENTON CO.	28	(0.7%)	82	(0.7%)	110	2	(1.0%)	37	(0.6%)	26	(0.6%)	45	(0.8%)	71
CHELAN CO.	19	(0.4%)	40	(0.3%)	59	2	(1.0%)	22	(0.3%)	17	(0.4%)	18	(0.3%)	35
DOUGLAS CO.	2	0.0%	2	0.0%	4	0	0.0%	2	0.0%	2	0.0%	0	0.0%	2
FRANKLIN CO.	20	(0.5%)	50	(0.4%)	70	1	(0.5%)	17	(0.3%)	19	(0.5%)	33	(0.6%)	52
GRANT CO.	10	(0.2%)	33	(0.3%)	43	1	(0.5%)	19	(0.3%)	9	(0.2%)	14	(0.3%)	23
KITTITAS CO.	5	(0.1%)	20	(0.2%)	25	0	0.0%	10	(0.2%)	5	(0.1%)	10	(0.2%)	15
Klickitat CO.	6	(0.1%)	9	(0.1%)	15	0	0.0%	6	(0.1%)	6	(0.1%)	3	(0.1%)	9
YAKIMA CO.	48	(1.1%)	169	(1.4%)	217	3	(1.5%)	78	(1.2%)	45	(1.1%)	91	(1.7%)	136
Region 3	327	(7.6%)	962	(8.2%)	1,289	22	(11.1%)	478	(7.6%)	305	(7.4%)	484	(9.0%)	789
ISLAND CO.	14	(0.3%)	59	(0.5%)	73	1	(0.5%)	33	(0.5%)	13	(0.3%)	26	(0.5%)	39
SAN JUAN CO.	7	(0.2%)	18	(0.2%)	25	1	(0.5%)	10	(0.2%)	6	(0.1%)	8	(0.1%)	14
SKAGIT CO.	24	(0.6%)	64	(0.5%)	88	3	(1.5%)	34	(0.5%)	21	(0.5%)	30	(0.6%)	51
SNOHOMISH CO.	233	(5.4%)	664	(5.7%)	897	14	(7.0%)	320	(5.1%)	219	(5.3%)	344	(6.4%)	563
WHATCOM CO.	49	(1.1%)	157	(1.3%)	206	3	(1.5%)	81	(1.3%)	46	(1.1%)	76	(1.4%)	122
Region 4 (King Co.)	2,819	(65.5%)	7,468	(63.8%)	10,287	115	(57.8%)	4,134	(65.4%)	2,704	(65.9%)	3,334	(62.0%)	6,038
KING CO.	2,819	(65.5%)	7,468	(63.8%)	10,287	115	(57.8%)	4,134	(65.4%)	2,704	(65.9%)	3,334	(62.0%)	6,038
Region 5	490	(11.4%)	1,232	(10.5%)	1,722	28	(14.1%)	683	(10.8%)	462	(11.3%)	549	(10.2%)	1,011
KITSAP CO.	77	(1.8%)	214	(1.8%)	291	1	(0.5%)	118	(1.9%)	76	(1.9%)	96	(1.8%)	172
PIERCE CO.	413	(9.6%)	1,018	(8.7%)	1,431	27	(13.6%)	565	(8.9%)	386	(9.4%)	453	(8.4%)	839
Region 6	353	(8.2%)	977	(8.4%)	1,330	12	(6.0%)	485	(7.7%)	341	(8.3%)	492	(9.2%)	833
CLALLAM CO.	20	(0.5%)	56	(0.5%)	76	2	(1.0%)	31	(0.5%)	18	(0.4%)	25	(0.5%)	43
CLARK CO.	165	(3.8%)	423	(3.6%)	588	2	(1.0%)	214	(3.4%)	163	(4.0%)	209	(3.9%)	372
COWLITZ CO.	39	(0.9%)	90	(0.8%)	129	1	(0.5%)	51	(0.8%)	38	(0.9%)	39	(0.7%)	77
GRAYS HARBOR CO.	16	(0.4%)	60	(0.5%)	76	1	(0.5%)	32	(0.5%)	15	(0.4%)	28	(0.5%)	43
JEFFERSON CO.	11	(0.3%)	23	(0.2%)	34	2	(1.0%)	15	(0.2%)	9	(0.2%)	8	(0.1%)	17
LEWIS CO.	11	(0.3%)	42	(0.4%)	53	1	(0.5%)	25	(0.4%)	10	(0.2%)	17	(0.3%)	27
MASON CO.	20	(0.5%)	78	(0.7%)	98	0	0.0%	23	(0.4%)	20	(0.5%)	55	(1.0%)	75
PACIFIC CO.	10	(0.2%)	18	(0.2%)	28	1	(0.5%)	10	(0.2%)	9	(0.2%)	8	(0.1%)	17
SKAMANIA CO.	0	0.0%	7	(0.1%)	7	0	0.0%	5	(0.1%)	0	0.0%	2	0.0%	2
THURSTON CO.	60	(1.4%)	178	(1.5%)	238	2	(1.0%)	79	(1.2%)	58	(1.4%)	99	(1.8%)	157
WAHIAKUM CO.	1	0.0%	2	0.0%	3	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3
STATE TOTAL	4,305	(100.0%)	11,700	(100.0%)	16,005	199	(100.0%)	6,325	(100.0%)	4,106	(100.0%)	5,375	(100.0%)	9,481

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

8 County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

Washington State HIV/AIDS Surveillance Report - 01/31/2007

Washington State Department of Health

Table 6. HIV¹ CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1999		2000 - Current ⁵		Cumulative		2003		2004		2005		2006 ⁵		2007 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	318	(87%)	1,276	(76%)	1,476	(66%)	3,070	(71%)	206	(67%)	200	(63%)	242	(65%)	235	(66%)	2	(29%)
Black, not Hispanic	32	(9%)	206	(12%)	405	(18%)	643	(15%)	59	(19%)	59	(19%)	65	(17%)	56	(16%)	4	(57%)
Hispanic (All Races)	9	(2%)	128	(8%)	226	(10%)	363	(8%)	28	(9%)	32	(10%)	44	(12%)	36	(10%)	1	(14%)
Asian/Pacific Islander	0	0%	2	0%	3	0%	5	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Asian	2	(1%)	33	(2%)	62	(3%)	97	(2%)	9	(3%)	10	(3%)	10	(3%)	9	(3%)	0	0%
Hawaiian/Pacific Islander	1	0%	1	0%	7	0%	9	0%	2	(1%)	0	0%	2	(1%)	2	(1%)	0	0%
Native American/Alaskan	4	(1%)	20	(1%)	34	(2%)	58	(1%)	4	(1%)	8	(3%)	3	(1%)	6	(2%)	0	0%
Multi-race	0	0%	4	0%	19	(1%)	23	(1%)	1	0%	5	(2%)	3	(1%)	4	(1%)	0	0%
Unknown	1	0%	15	(1%)	21	(1%)	37	(1%)	0	0%	3	(1%)	5	(1%)	6	(2%)	0	0%
Total	367	(100%)	1,685	(100%)	2,253	(100%)	4,305	(100%)	309	(100%)	317	(100%)	374	(100%)	354	(100%)	7	(100%)
<u>Gender</u>																		
Male	338	(92%)	1,429	(85%)	1,916	(85%)	3,683	(86%)	263	(85%)	270	(85%)	318	(85%)	301	(85%)	5	(71%)
Female	29	(8%)	256	(15%)	337	(15%)	622	(14%)	46	(15%)	47	(15%)	56	(15%)	53	(15%)	2	(29%)
Total	367	(100%)	1,685	(100%)	2,253	(100%)	4,305	(100%)	309	(100%)	317	(100%)	374	(100%)	354	(100%)	7	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	257	(70%)	1,081	(64%)	1,383	(61%)	2,721	(63%)	195	(63%)	193	(61%)	217	(58%)	225	(64%)	2	(29%)
Injecting Drug Use (IDU)	33	(9%)	151	(9%)	184	(8%)	368	(9%)	22	(7%)	25	(8%)	21	(6%)	28	(8%)	1	(14%)
MSM and IDU	43	(12%)	131	(8%)	174	(8%)	348	(8%)	21	(7%)	25	(8%)	39	(10%)	20	(6%)	1	(14%)
Transfusion/Transplant	3	(1%)	7	0%	8	0%	18	0%	0	0%	2	(1%)	3	(1%)	0	0%	0	0%
Hemophilia	6	(2%)	3	0%	1	0%	10	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Heterosexual Contact	12	(3%)	164	(10%)	253	(11%)	429	(10%)	36	(12%)	35	(11%)	37	(10%)	34	(10%)	1	(14%)
Mother at Risk for HIV	3	(1%)	26	(2%)	5	0%	34	(1%)	1	0%	1	0%	0	0%	1	0%	0	0%
No Identified Risk/Other	10	(3%)	122	(7%)	245	(11%)	377	(9%)	34	(11%)	36	(11%)	57	(15%)	46	(13%)	2	(29%)
Total	367	(100%)	1,685	(100%)	2,253	(100%)	4,305	(100%)	309	(100%)	317	(100%)	374	(100%)	354	(100%)	7	(100%)
<u>AIDSNET Region</u>																		
Region 1	18	(5%)	63	(4%)	97	(4%)	178	(4%)	14	(5%)	17	(5%)	11	(3%)	15	(4%)	1	(14%)
Region 2	10	(3%)	55	(3%)	73	(3%)	138	(3%)	7	(2%)	7	(2%)	18	(5%)	11	(3%)	0	0%
Region 3	28	(8%)	144	(9%)	155	(7%)	327	(8%)	23	(7%)	22	(7%)	32	(9%)	31	(9%)	0	0%
Region 4 (King Co.)	250	(68%)	1,095	(65%)	1,474	(65%)	2,819	(65%)	198	(64%)	219	(69%)	229	(61%)	212	(60%)	4	(57%)
Region 5	33	(9%)	200	(12%)	257	(11%)	490	(11%)	40	(13%)	22	(7%)	45	(12%)	50	(14%)	2	(29%)
Region 6	28	(8%)	128	(8%)	197	(9%)	353	(8%)	27	(9%)	30	(9%)	39	(10%)	35	(10%)	0	0%
Total	367	(100%)	1,685	(100%)	2,253	(100%)	4,305	(100%)	309	(100%)	317	(100%)	374	(100%)	354	(100%)	7	(100%)

Notes:

1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 01/31/2007

Washington State Department of Health

Table 7. AIDS CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1999		2000 - Current ⁵		Cumulative		2003		2004		2005		2006 ⁵		2007 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	1,709	(88%)	5,428	(78%)	1,832	(65%)	8,969	(77%)	273	(65%)	269	(67%)	259	(63%)	208	(62%)	1	(25%)
Black, not Hispanic	129	(7%)	714	(10%)	498	(18%)	1,341	(11%)	68	(16%)	65	(16%)	75	(18%)	60	(18%)	3	(75%)
Hispanic (All Races)	76	(4%)	499	(7%)	302	(11%)	877	(7%)	53	(13%)	42	(10%)	42	(10%)	34	(10%)	0	0%
Asian/Pacific Islander	3	0%	34	0%	8	0%	45	0%	1	0%	0	0%	1	0%	0	0%	0	0%
Asian	11	(1%)	78	(1%)	74	(3%)	163	(1%)	9	(2%)	9	(2%)	18	(4%)	18	(5%)	0	0%
Hawaiian/Pacific Islander	5	0%	9	0%	16	(1%)	30	0%	5	(1%)	2	0%	1	0%	2	(1%)	0	0%
Native American/Alaskan	16	(1%)	135	(2%)	65	(2%)	216	(2%)	10	(2%)	11	(3%)	10	(2%)	5	(1%)	0	0%
Multi-race	2	0%	23	0%	23	(1%)	48	0%	3	(1%)	5	(1%)	5	(1%)	7	(2%)	0	0%
Unknown	0	0%	5	0%	6	0%	11	0%	0	0%	1	0%	0	0%	0	0%	0	0%
Total	1,951	(100%)	6,925	(100%)	2,824	(100%)	11,700	(100%)	422	(100%)	404	(100%)	411	(100%)	334	(100%)	4	(100%)
<u>Gender</u>																		
Male	1,889	(97%)	6,345	(92%)	2,402	(85%)	10,636	(91%)	356	(84%)	336	(83%)	357	(87%)	286	(86%)	3	(75%)
Female	62	(3%)	580	(8%)	422	(15%)	1,064	(9%)	66	(16%)	68	(17%)	54	(13%)	48	(14%)	1	(25%)
Total	1,951	(100%)	6,925	(100%)	2,824	(100%)	11,700	(100%)	422	(100%)	404	(100%)	411	(100%)	334	(100%)	4	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	1,499	(77%)	4,638	(67%)	1,542	(55%)	7,679	(66%)	238	(56%)	213	(53%)	220	(54%)	161	(48%)	3	(75%)
Injecting Drug Use (IDU)	82	(4%)	676	(10%)	309	(11%)	1,067	(9%)	45	(11%)	44	(11%)	46	(11%)	31	(9%)	1	(25%)
MSM and IDU	234	(12%)	683	(10%)	252	(9%)	1,169	(10%)	36	(9%)	33	(8%)	40	(10%)	41	(12%)	0	0%
Transfusion/Transplant	47	(2%)	68	(1%)	11	0%	126	(1%)	1	0%	3	(1%)	2	0%	1	0%	0	0%
Hemophilia	30	(2%)	54	(1%)	8	0%	92	(1%)	1	0%	1	0%	1	0%	1	0%	0	0%
Heterosexual Contact	29	(1%)	436	(6%)	369	(13%)	834	(7%)	54	(13%)	55	(14%)	54	(13%)	32	(10%)	0	0%
Mother at Risk for HIV	8	0%	18	0%	3	0%	29	0%	0	0%	0	0%	1	0%	0	0%	0	0%
No Identified Risk/Other	22	(1%)	352	(5%)	330	(12%)	704	(6%)	47	(11%)	55	(14%)	47	(11%)	67	(20%)	0	0%
Total	1,951	(100%)	6,925	(100%)	2,824	(100%)	11,700	(100%)	422	(100%)	404	(100%)	411	(100%)	334	(100%)	4	(100%)
<u>AIDSNET Region</u>																		
Region 1	79	(4%)	393	(6%)	184	(7%)	656	(6%)	27	(6%)	30	(7%)	30	(7%)	21	(6%)	0	0%
Region 2	48	(2%)	225	(3%)	132	(5%)	405	(3%)	20	(5%)	23	(6%)	20	(5%)	21	(6%)	0	0%
Region 3	111	(6%)	583	(8%)	268	(9%)	962	(8%)	36	(9%)	41	(10%)	57	(14%)	36	(11%)	0	0%
Region 4 (King Co.)	1,434	(74%)	4,396	(63%)	1,638	(58%)	7,468	(64%)	274	(65%)	223	(55%)	216	(53%)	189	(57%)	3	(75%)
Region 5	171	(9%)	737	(11%)	324	(11%)	1,232	(11%)	38	(9%)	45	(11%)	43	(10%)	33	(10%)	1	(25%)
Region 6	108	(6%)	591	(9%)	278	(10%)	977	(8%)	27	(6%)	42	(10%)	45	(11%)	34	(10%)	0	0%
Total	1,951	(100%)	6,925	(100%)	2,824	(100%)	11,700	(100%)	422	(100%)	404	(100%)	411	(100%)	334	(100%)	4	(100%)

Notes:

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the per between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presents in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.